

FLOS

F6256000 Aluminized Silver

KTribe Suspension 1

Designed by Philippe Starck, 2005




Halogen - 75W

Suspension lamp providing diffused light. PC (polycarbonate) inner diffuser, with opal white finish. Outer diffuser available in finishes: fumè, made in PMMA (polymethylmethacrylate) or silver, made by vacuum aluminum coating on the inner surface. Single support cable. White ceiling rose.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)




Main specifications

EAN	8059607021378
Mounting	Suspension
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	G9
Iicos	HSGS
Number of heads	1
Power (W)	75

Physical

Colour	Aluminized Silver
Length (mm)	240
Cord length (mm)	2700
Net weight (kg)	0.97
Package height (mm)	325
Package width (mm)	325
Package length (mm)	325
Package volume (m3)	0.03
IP internal	20

Download

[Mounting instructions](#)  PDF

[Spare Parts](#)  PDF

Photometric Files

[LDT / IES](#)  LDT

Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP



IP
20

Schematic light drawing



Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-
240 2700K T13 Non Dimmable




NOT INCLUDED

RF28425

LED BiPin Lamp G9 3W 2700K
Non Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | S1 ceiling rose assembly | RF6256001 |
| 02. | Lamp holder wiring assembly
with aluminized silver external
diffuser | RF6256002 |
| 03. | Ktribe S1 opal internal diffuser | RF25307 |

DOWNLOAD



RF6256001

S1 ceiling rose assembly



RF6256002

Lamp holder wiring assembly with
aluminized silver external diffuser



RF25307

Ktribe S1 opal internal diffuser